



## Green Pin Wire Rope Clip G-6240

### Product information

The Green Pin<sup>®</sup> Wire Rope Clip is a wire rope clip, generally to EN 13411-5 Type B. This wire rope clip is safer to work with as the ribs on the bearing surface of the clip prevent sliding of the wire rope. Furthermore, the wire rope clip is made from high tensile steel, while galvanization ensures its long-term durability. The Green Pin<sup>®</sup> Wire Rope Clip is available in a range for wire rope diameters of 3 up to 78 mm.

Certification on request: 2.1, 2.2

**Material:** Bridge: drop forged high tensile steel SAE 1045. U-bolt: SAE 1015.

**Marking:** According to standard, CE-marked

**Finish:** Hot dip galvanized. Nuts for diameter bow 5 and 6 mm are electro-galvanized.

**Standard:** EN 13411-5

| Part code    | Rope Ø range<br>mm | a<br>mm | b<br>mm | c<br>mm | d<br>mm | e<br>mm | f<br>mm | g<br>mm | Weight<br>kg/100pc |
|--------------|--------------------|---------|---------|---------|---------|---------|---------|---------|--------------------|
| 121100400100 | 3-4                | 5       | 24      | 12      | 11      | 24      | 21      | 10      | 2                  |
| 121100500100 | 5                  | 6       | 31      | 15      | 13      | 29      | 24      | 13      | 4                  |
| 121100700100 | 6-7                | 8       | 34      | 19      | 13      | 37      | 30      | 18      | 8                  |
| 121100800100 | 8                  | 10      | 45      | 22      | 19      | 43      | 33      | 19      | 14                 |
| 121101000100 | 9-10               | 11      | 49      | 26      | 19      | 49      | 42      | 25      | 19                 |
| 121101100100 | 11                 | 12      | 60      | 30      | 25      | 58      | 46      | 26      | 31                 |
| 121101300100 | 12-13              | 13      | 61      | 30      | 25      | 58      | 48      | 31      | 34                 |
| 121101500100 | 14-15              | 14      | 72      | 33      | 32      | 63      | 52      | 31      | 36                 |

|              |       |    |     |     |    |     |     |     |       |
|--------------|-------|----|-----|-----|----|-----|-----|-----|-------|
| 121101600100 | 16    | 14 | 74  | 33  | 32 | 64  | 54  | 36  | 45    |
| 121102000100 | 18-20 | 16 | 86  | 38  | 37 | 72  | 57  | 38  | 68    |
| 121102200100 | 22    | 19 | 98  | 45  | 41 | 80  | 62  | 40  | 108   |
| 121102600100 | 24-26 | 19 | 108 | 48  | 46 | 88  | 67  | 47  | 113   |
| 121103000100 | 28-30 | 19 | 117 | 51  | 51 | 91  | 73  | 48  | 140   |
| 121103400100 | 32-34 | 22 | 130 | 59  | 54 | 105 | 79  | 56  | 207   |
| 121103600100 | 36    | 22 | 140 | 60  | 59 | 108 | 79  | 58  | 234   |
| 121104000100 | 38-40 | 22 | 147 | 66  | 60 | 112 | 85  | 64  | 266   |
| 121104200100 | 41-42 | 25 | 161 | 70  | 67 | 121 | 92  | 67  | 329   |
| 121104600100 | 44-46 | 29 | 174 | 78  | 70 | 134 | 97  | 76  | 441   |
| 121105200100 | 48-52 | 32 | 195 | 86  | 78 | 150 | 113 | 85  | 603   |
| 121105800100 | 56-58 | 32 | 213 | 98  | 81 | 162 | 116 | 100 | 707   |
| 121106500100 | 62-65 | 32 | 227 | 105 | 87 | 168 | 119 | 113 | 806   |
| 121107200100 | 68-72 | 32 | 243 | 112 | 91 | 174 | 127 | 124 | 1,000 |
| 121107800100 | 75-78 | 38 | 271 | 121 | 98 | 194 | 135 | 136 | 1,440 |

# Blueprint

