LAM-É ST-PIERRE | Lifting Solutions Group
Axel Johnson International

Thimble G-414, Crosby - Extra heavy

Product information



General:
The use of the G-414 extra heavy thimbles for your wirerope slings ensures a greater protection against wear of the wire rope and deformation of the wire rope eye.

Features:

- Longer service life.

... *Read more*


Material: Steel
Marking: According to standard
Finish: Hot-dip galvanised
Standard: EN 13411-1

© November 2026 - All Rights Reserved

LAM-É ST-PIERRE | Lifting Solutions Group
Axel Johnson International

Thimble G-414, Crosby - Extra heavy

Blueprint



Technical data

Part code	Rope Ø range mm	Finish	A in	B in	C in	D in	E in	F in	G in	H in	Weight lb
10.251037639	6-7	Galvanized	2.19	1.63	1.5	0.88	0.43	0.28	0.06	0.23	0.07
10.251037657	8	Galvanized	2.5	1.88	1.81	1.06	0.55	0.34	0.08	0.28	0.12
10.251037675	9-10	Galvanized	2.87	2.13	2.13	1.13	0.63	0.41	0.11	0.34	0.22
10.251037693	11-12	Galvanized	3.25	2.38	2.38	1.25	0.74	0.47	0.13	0.38	0.35
10.251037719	13-15	Galvanized	3.62	2.76	2.76	1.5	0.92	0.51	0.14	0.41	0.51
10.251037755	16	Galvanized	4.25	3.25	3.13	1.75	1.02	0.66	0.16	0.5	0.76
10.251037773	18-20	Galvanized	5	3.76	3.78	2.01	1.3	0.78	0.22	0.66	1.59
10.251037791	22	Galvanized	5.51	4.25	4.25	2.24	1.46	0.94	0.22	0.75	1.79
10.251037817	24-26	Galvanized	6.14	4.49	4.92	2.5	1.73	1.06	0.25	0.88	3.13
10.251037835	28-32	Galvanized	7.01	5.12	5.87	2.87	1.85	1.31	0.25	1.13	3.99
10.251037853	32-35	Galvanized	9.06	6.5	6.81	3.5	2.24	1.44	0.38	1.13	8.86
10.251037871	35-38	Galvanized	9.02	6.26	7.13	3.5	2.6	1.56	0.5	1.13	12.94
10.251037899	40	Galvanized	11.26	7.99	8.15	4.02	2.99	1.72	0.5	1.38	17
10.251037915	44	Galvanized	12.2	9.02	8.5	4.49	3.03	1.84	0.5	1.31	17.75
10.251037933	48-52	Galvanized	15.12	12.01	10.39	5.98	3.35	2.09	0.5	1.5	27.76
10.251037951	56	Galvanized	17.13	14.02	11.89	7.01	3.86	2.38	0.63	1.63	39.51

© November 2026 - All Rights Reserved