



## Wire Rope Clip Crosby G-450

### Product information

Based on the catalog breaking strength of wire rope, Crosby wire rope clips have an efficiency rating of 80% for 3 mm through 22 mm sizes, and 90% for sizes 24 mm through 90 mm.

**Features:** Wire clips to secure and form a temporary termination on site.

**Material:** Steel

**Marking:** According to standard, ID code and Manufacturer's symbol

**Finish:** Galvanised

**Standard:** EN 13411-5

**Note:** All sizes except 68-72 mm and 85-90 mm meet the performance requirements of EN13411.

Part code	Rope Ø range mm	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	Weight kg/100pc
121100400120	3-4	5.6	18.3	11.2	11.9	10.4	9.65	20.6	23.9	2.72
121100500120	5	6.35	24.6	14.2	15	12.7	11.2	23.9	29.5	4.54
121100700120	6-7	7.85	26.2	12.7	19.1	16.8	14.2	30.2	36.6	8.62
121100800120	8	9.65	35.1	19.1	22.4	18.3	17.5	33.3	42.9	12.7
121101000120	9-10	11.2	38.1	19.1	25.4	23.1	19.1	41.4	49.3	21.8
121101100120	11	12.7	47.8	25.4	30.2	26.2	22.4	46	58	35.4
121101300120	11-13	0.5	1.88	1	1.19	1.13	0.88	1.91	2.28	80
121101500120	14-15	14.2	57	31.8	33.3	31	23.9	52.5	63.5	49.4

121101600120	16	0.56	2.25	1.25	1.31	1.34	0.94	2.06	2.5	110
121102000120	18-20	15.7	70	36.6	38.1	35.8	26.9	57	72	64
121102200120	22	19.1	79	41.1	44.5	40.4	31.8	62	80.5	96
121102600120	24-26	19.1	89	46	47.8	45.2	31.8	67	88	114
121103000120	28-30	19.1	98.5	51	51	48.5	31.8	71.5	91	128
121103400120	32-34	22.4	108	54	59.4	55.5	36.6	79.5	105	199
121103600120	36	22.4	118	58.5	59.4	58.5	36.6	79.5	106	200
121103800120	38	22.4	125	60.5	66.5	62	36.6	86.5	113	247
121104200120	41-42	25.4	135	66.5	70	67.5	41.4	92	121	319
121104600120	44-46	28.7	146	70	77.5	74.5	46	97	134	424
121105200120	48-52	31.8	164	76	86	77	51	113	149	590
121105800120	56-58	31.8	181	81	98.5	81	51	114	162	726
121106500120	62-65	31.8	195	87.5	105	93.5	51	119	168	862
121107200120	68-72	31.8	211	90.5	111	124	51	127	175	1,043
121107800120	75-78	38.1	233	98.5	121	119	60.5	149	194	1,406
121109000120	85-90	38.1	273	114	140	152	60.5	157	213	1,814

# Blueprint

