LAM-É ST-PIERRE | Lifting Solutions Group
Axel Johnson International

LSP Round Sling L

Product information



L round slings are made of multiple high-tenacity yarns encased in an endless sleeve (Type 5). The entire assembly is covered by a seamless, double-wall blue nylon jacket that includes a protective micro-film. A round sling is constructed from a polyester or polyethylene load-bearing yarn wound in multiple continuous loops. Since the load-bearing yarns never come into contact with the load, they offer higher capacities compared to conventional synthetic slings of similar weight and size.

... *Read more*

Material: Nylon, polyester or Polyethylene

Safety factor: 5:1

© November 2026 - All Rights Reserved

LAM-É ST-PIERRE | Lifting Solutions Group
Axel Johnson International

LSP Round Sling L

Technical data

WLL lb
32,000
32,000
32,000
32,000
32,000
32,000
32,000
40,000
40,000
40,000
40,000
40,000
40,000
40,000
54,000
54,000
54,000
54,000
54,000
54,000
54,000
68,000
68,000
68,000
68,000
68,000
68,000
68,000
90,000
90,000
90,000

© November 2026 - All Rights Reserved

LAM-É ST-PIERRE | Lifting Solutions Group
Axel Johnson International

LSP Round Sling L

Technical data

WLL lb
90,000
90,000
90,000
90,000

© November 2026 - All Rights Reserved